POLICE

HEADQUARTERS

Phone/FaxNo: 0194-2443031/ 2443032 (Sgr) 0191-2459029/2459255(Jmu){Provision Section} Email:phqjk@jkpolice.gov.in

SRINAGAR/JAMMU

Website:www.jkpolice.gov.in

NIT NO; 48 of 2017

For and on behalf of the Governor of Jammu and Kashmir State, e-tenders are hereby invited from Original Manufacturers or their authorized dealers having proper authorisation of the manufacturer to quote against the tender for the supply of Security Equipment, as indicated in the detailed SBD & BOQ. The download of NIT shall start on 27.12.2017 at 1300 hours. Tenders shall be submitted online on J&K State e-procurement Portal www.jktenders.gov.in before 19.01.2018 upto 1800 hours.

The tenders (technical bids only) will be opened online on 21.01.2018 at 1100 hours at Police Headquarters, J&K Gandhi Nagar Jammu. Pre bid Meeting will be held at PHQ J&K Peerbagh Srinagar on 10.01.2018. In case of unforeseen circumstances, the date of opening will be next working day or else as notified separately. Detailed tender documents with terms and conditions are available on J&K State e-procurement Portal www.jktenders.gov.in.

> (Sheikh Junaid Mahmood) AIG Provision/Transport)
> For Director General of Police,
>
> J&K Jammu.
>
> 12.2017

No. Prov-II/Sec- 72/2017-18 9 2685 Copy to the:-

- 1. Principal Secretary to Govt. Home Department J&K Jammu for favour of information.
- 2. All IsGP J&K Police for information.
- Director Information J&K Srinagar. He will arrange publication of Gist of the NIT in leading National Dailies and in leading Newspaper of J&K/Tender Journals etc. for wide publicity. The payment for publication in National Dailies shall be made by the PHQ against bills.
- 4. Director Industries Srinagar/Jammu for information
- Manager Government Press Srinagar/Jammu for publication in Govt Gazette. 5.
- 6. SP J&K CID Cell, 11 Harish Chander Mathur Lane Kasturba Ghandhi Marg New Delhi 110001 for information.
- 7. AIG (Communication) PHQ for publication purpose. He will personally liaise with Directorate of Information for publication of the NIT/Gist immediately and make available concerned Newspaper to AIG (Prov/Tpt) PHQ J&K.
- 8. In-Charge PCS Gulshan Ground Jammu/Zewan Srinagar.
- 9. SO (E-Tendering) PHO, J&K, Jammu.

In-Charge IT Centre PHQ for posting the NIT on the website of J&K/Police.

For Director General of Police, J&K Jammu.

POLICE

HEADQUARTERS

Phone/FaxNo: 0194-2443031/ 2443032 (Sgr) 0191-2459029/2459255(Jmu) {Provision Section}



Email:phqjk@nic.in

NIT NO.48 of 2017 Dated; 27.12.2017

		, • / 15552121	
1.	invited from original ma of Security Equipme Approved/authorized de	e Governor J&K State, online tenders (e-tenders) are inufacturers or their authorized dealers, for the supply nt as specified in Annexure "A" of the NIT. ealers will attach valid & authenticated copy of manufacturer(s), without which tender shall be liable	
2.	The NIT Consisting of Complete information, eligibility criteria, specification, Bill of quantities, (B.O.Q), Set of terms and conditions of contract and other details can be seen/downloaded from J&K State e-Procurement Portal www.jktenders.gov.in from 27.12.2017 from 1300 Hrs and last date of online submission is 19.01.2017 (1800 hours).		
3.	Time/date and place for	21.01.2018 at 1100 hours at J&K Police Headquarters, Gandhi Nagar Jammu.	
4.	The intending bidders will have to attend Pre-bid meeting to be held at Police Headquarters Gandhi Nagar Jammu on 10.01.2018. Bidders shall submit their queries etc at-least 02 days in advance before Pre bid conference. In the Pre bid conference they will be given full opportunity to put their view point regarding specifications etc mentioned in the e-NIT. However, any query etc raised by any bidder after Pre-bid conference will not be entertained.		
5.	SAMPLES WHEREVER ASKED: Shortlisted bidders will have to arrange for practical demonstration on short notice, as such, samples shall be readily available either in our stores or with bidders who will be required to produce the same immediately after technical bids are opened. Failure to produce samples before the committee within specified dates shall make the offer liable for rejection.		
 6. 7. 	All tender documents attached with this invitation to tender including the specifications are SACROSANCT for considering any offer as complete offer. It is important that scanned copy of each page of the tender document duly completed, page numbered and signed is uploaded with your offer in a sequential manner and not haphazardly.		
/.	The tender fee has been fixed for SSI units of J&K State only Rs. 100/- and		

all other vendors have to pay Rs. 2000/- as tender fee in the shape of a crossed demand draft favouring Chief Accounts Officer PHQ J&K payable at

Jammu. The tender fee is not refundable and same will be deposited into Govt Treasury under head 0055-Police for the year 2017-18. The scanned copy of the demand draft should be part of the online bid. The original demand draft should be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&K, Gandhi Nagar Jammu alongwith covering letter in an envelope which should have a card affixed to it duly signed and stamped by the firm indicating (a) name of the firm (b) tender No. (c) Date of opening of the technical bids. The local SSI units of J&K State are required to pay the tender fee prescribed as per J&K Govt. rules. However, the Govt/Semi Govt. concerns of the J&K State claiming exemption shall append copies of the authenticated orders, existence/registration certificates etc. with regards to the SSI units issued by the competent authority in support of their claim. Tenders without stipulated tender fee shall be rejected.

8. Earnest Money Deposit (EMD)

The intending tenderers will have to send the Earnest Money only in shape of CDR/FDR from any nationalized bank/State owned Banks for an amount of Rs 5000/- for J&K state SSI Unit holders only and for other tenderers Rs.200000/- pledged to AIG (Prov/Tpt) PHQ J&K with the tender offer, which shall be valid for one year. The EMD in case of unsuccessful tenderer shall be released after finalization of Tender, whereas, in case of successful tenderers it will be adjusted towards security money (required to be application, for due performance the deposited) on contract/performance during warranty period. No interest shall be payable by the purchaser on the EMD deposited by the tenderer. The Scanned copy of the CDR/FDR should be part of Online Bid and the original be sent by post to the AIG (Provision/Transport) C/o Director General of Police J&K, Gandhi Nagar Jammu alongwith tender fee before the opening of technical Bid. J&K Govt. rules with regard to furnishing of EMD in respect of local Registered SSI units of J&K State shall be applicable in letter and spirit. The local SSI units are required to pay EMD prescribed as per J&K Govt rules. For the SSI units shall have to furnish Registration Certificate INDICATING THEREIN THE DETAILS OF ITEMS AND INSTALLED CAPACITY OF THE UNIT PER MONTH and Functional Certificate of SSI Unit, issued by the competent authority, with their tender offer failing which the benefits of SSI units will not be allowed. The Government/ Semi Govt. or similar other concerns of J&K state, claiming exemption from the payment of EMD shall have to append duly authenticated orders, certificate etc. from competent authority supporting their claims.

Tenders without EMD shall be rejected.

1				
9.	I)Stores required at	FREE DELIVERY AT CONSIGNEE LOCATIONS		
	•	i.e, (Police Central Store Zewan Srinagar and Police		
		Central Store Gulshan Grounds Gandhi Nagar		
		Jammu. Tenderers are required to quote rates on free		
		delivery at consignee's location basis only. Tenders		
		received quoting rates on FOR Destination		
		Stations/Station of Despatch basis shall be rejected.		
	iii) Delivery period	Approximately within 45 days from the date of issue		

	of Acceptance of Tender or as stated in the supply order.
iv) Inspection	The department is at liberty to conduct testing/inspection of stores during any stage of manufacturing. Tenders should disclose the name and full address (along with telephone/fax no. of the place where the stores will be manufactured and will be available for inspection.
v) Inspection	Board of officers, duly constituted by the J&K
authority / place of survey	Police Hqrs, at consignee's premises.
vi) Packing and Marking	As per clause 29 of this tender
vii)Payment terms	Payment shall be released by the department against each consignment delivered, inspected, accepted and properly brought on the stocks in the concerned stock registers of the Department. Remittance charges (Bank Commission) on payment made to the firms will be borne by the supplier/s. The preferred mode of payment will be through RTGS, for which the approved supplier shall have to furnish the Bank/RTGS code details. If approved supplier backs out or fails to supply the goods against supply order within stipulated delivery period, the department will be at liberty to procure the item from L-2 firm and differential amount between L-1 & L-2 rates will be deducted from the security deposit furnished by the approved supplier and remaining security deposit will be forfeited besides invoking other remedies which shall include black-listing of the firm. If approved supplier supplies the goods partially against supply order within stipulated delivery period, the J&K Police reserve the right to impose liquidity damage charges upto 5% of the un-supplied store upto first 15 days and thereafter penalty can be increased depending upon the nature of supplies and extent of delay. However, period of delivery may be extended at the absolute discretion of J&K Police provided delay is attributable to the reasons beyond the control of the supplier firm but not attributable to business transactions and also delay is communicated in writing justifying the cause of delay.

10. On due date of opening of tenders i.e. 21.01.2018 at 1100 hours, technical bids only shall be opened and the Technical evaluation Process will start.
11. Rates quoted by the firm(s) should be on firm price basis.

12. Firms shall clearly indicate different taxes, duties, charges which they propose to charge as per the format of Bill of quantity (BOQ) available with the e-tender, moreover online generation of financial comparative (BOQ Chart) is of indicative nature only and not conclusive. The detailed financial comparative (BOQ Chart) shall be worked out by the department and information can be uploaded on the website for general information of all the Tenderer.

13. TWO BID SYSTEM :-

All bidders are required to submit their offers in two covers online as under:FIRST COVER (Technical Bid) is to be uploaded Online and Scanned
Copies in PDF format should contain the following documents:-

Copies	in PDF format should contain the following documents:-
i.	The tenderer will clearly mention the name of the items for which he has quoted in the covering letter of the tender offer.
ii.	Tender documents (viz technical compliance, broachers/catalogues of the quoted items containing Make & model of the items ,OEM/ authorization certificate, registration/existence certificates of the firms / SSI Units & performance etc duly page numbered completed and signed BUT WITHOUT INDICATING THE RATES QUOTED.
iii.	Scan copy of the Earnest money.
iv.	Scan copy of Tender Fee.
v.	Technical specifications of the items quoted with catalogue/broacher etc. & deposition of samples.
vi.	Scan copy of test report (wherever applicable) shall be uploaded(Original test report shall also be furnished alongwith EMD and tender fee manually) duly typed(having no overwriting, cutting, alteration), signed, stamped and sealed by the authorised signatory with full name, address, phone/fax no, designation of the authorised signatory. The issue date of latest report shall be older than the date of issue of this tender enquiry. It should be free from any ambiguity.
vii.	Test report of each sample (wherever asked) shall be completed in all respects
viii.	Sample tested shall bear the seal of the testing laboratory prominently.
ix.	Registration certificate/Industrial Licence of original manufacturer, with due validity for the items quoted.
X.	Certificate of being authorized dealer having proper and specific authorization (as per format provided in Appendix-I) of the original manufacturer to quote against this tender.
xi.	Authorised dealer having authorisation to quote against this tender, shall furnish his registration certificate with central /state sale tax department for that particular item.
xii.	Scan copy of the NIT, all pages duly signed & stamped by the tenderer, in token of having understood and accepted the specifications, terms & conditions of the NIT and quoted items

	should be duly ticked.		
xiii.	Performance statement /turn over for last two years as APPENDIX-III of this NIT.		
xiv.	Acceptance of Warranty/guarantee of the items.		
XV.	Acceptance regarding delivery within the stipulated delivery schedule.		
xvi.	PAN no/VAT/TIN No. Self attested photocopies thereof be appended.		
xvii.	Check list for tenders as per APPENDIX-III of this NIT.		
xviii.	Any other relevant document which the firms may wish to submit		

14. SECOND COVER

(Commercial/Price Bid) should contain the following:-

- i. Rate quoted by the firm which should be on firm price basis as per Bill of Quantities (BOQ) of the e-tender to be downloaded from the website and Rates should be carefully quoted offline and then uploaded (Note) J&K Police does not issue Road Permits, Concessional Forms, State Entry Tax or Octroi etc Exemption Certificates, as such; Rate quoted shall be F.O.R Consignee. The Zero basic cost quoted for any item in BOQ will be treated as Nil Quoted
- ii. Rates quoted shall be final till the validity of the contract with a provision of further extension if finally approved by competent authority.
- iii The rates of AMC inclusive of Taxes (applicable after completion of warranty period) shall also be quoted separately.

15. Security Deposit:

The approved tenderers will have to supply the articles as per approved rate, approved sample and specification till the validity of the contract. They will have to furnish security deposit @ 5% of the total value of the items contracted for in the shape of CDR/FDR issued by a Nationalized/Scheduled Bank, at the time of signing of Deed of Agreement to ensure satisfactory performance of the equipment supplied, for Warranty period from the date of acceptance of product. This security deposit will be released in due course after expiry of specified warranty period/agreed contract. The charges on stamps etc. (cost of documents in totality) shall be borne by the supplier while executing the agreement. (No interest shall be paid by the purchaser on the Security deposit). J&K Govt Rules for Security Deposit in respect of local SSI Units shall be applicable.

16. Guarantee/Warranty

Except as otherwise provided in the invitation to the tender, the contractor hereby declares that the goods, stores, articles sold/supplied to the purchaser under this contract shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained/ mentioned in the contract. The contractor hereby guarantees that supplied goods/stores/articles would continue to conform to the specifications and quality for a period of 24 months, from the date of

acceptance of supplies by the purchaser. If during this, supplied stores/goods/articles be discovered not to conforming to the specifications and quality or not giving satisfactory performance or have deteriorated, the decision of the purchaser in that behalf shall be final and binding on the contractor and purchaser shall be entitled to call upon the contractor to rectify/replace the goods/stores/articles or such portion thereof by the contractor and in such an event, the above mentioned warranty period shall apply to the goods/articles/stores rectified/replaced from the date of rectification/replacement thereof. In case of failure of the contractor to rectify or replace with the goods etc within specified time, the purchaser shall be entitled to recover the cost with all expenses from the contractor for such defective stores by the available means.

17. Liquidity Damages

Successful tenderer shall have to make the supplies within stipulated period as would be mentioned in the supply order. J&K Police reserves the right to impose liquidity damages of 5% of the cost of unsupplied stores which shall depend upon the nature of supplies and extent of delay. However, period of delivery may be extended, at absolute discretion of J&K Police provided the delay is attributable to reasons beyond the control of the supplier but not attributable to business transactions and provided delay is communicated in writing justifying the cause of delay.

- 18. Conditional tender will not be accepted / entertained. It will be summarily rejected. No other conditions than those mentioned (in the terms set-forth) will be entertained.
- 19. Purchaser reserves the right to get the manufacturing capacity of all the firms re-verified irrespective of the registration status or any other document/information.
- 20. Purchaser reserves the right to cancel/reject or scrap the tender, with no consequential liability.
- 21. The supplies delivered by the successful tenderer shall be surveyed and verified by the J&K Police at Police Central Stores Jammu/Srinagar, as the case may be.
- 22. The PHQ shall have the discretion to send any number of samples from the received supplies from successful bidder for testing to one or more CFSL or NABL/BIS accredited Labs to check its conformity with the approved sample/specifications quoted in the NIT/supply order. In case of variation, the supply will be rejected at the cost and consequences of supplier.
- 23. As soon as the acceptance of the tender is communicated to the successful tenderers online, the contract shall be binding on him. The earnest money of the tenderer who backs out or withdraw his tender or fails to abide by it after acceptance thereof is communicated/posted to him shall be forfeited besides other penal remedies that may be available to the Govt. of the J&K under the law for the time being in force in the State of J&K;
- 24. The successful tenderer(s) shall have to enter into an agreement on prescribed proforma (immediately after the issue of supply order) with the Department for due performance of the contract which shall be invariably furnished before the supply is made.

- 25. The tenderer is required to furnish an authenticated copy of GST/ Sales tax /VAT clearance certificates (alongwith the tender offer or at the time of payments) for the year 2017-18 or a year earlier. The PHQ shall be at liberty to put to scrutiny, verification etc. the GST/Sales tax /VAT clearance so furnished by the successful tenderer.
- 26. The authorities reserve absolute powers to reject or accept any tender or part thereof without assigning any reason and without any legal obligations. Any clause incorporated in the tender (not conforming to the NIT in any manner) shall make such an offer liable for rejection. Therefore, all the terms and conditions of the tender Notice including technical specifications shall be carefully studied for the sake of complete and comprehensive tender. Failure to comply with any of the conditions stipulated in the tender or instructions or the offer with insufficient particulars/documents shall lead to out-right rejection of the tender offer.
- 27. After the registration/placement of orders/execution of the agreement and formally depositing the security money, in case the tenderer backs out or fails to supply the goods, the security deposited will be forfeited besides any other penal provisions, the department may decide as per norms.
- 28. The formal deed incorporating the terms of the contract will be executed by the successful tenderer immediately after receipt of supply order. Failure to execute such bond/deed shall not however prevent the contract from being enforced against the tenderer. Any loss sustained by the Govt. as a result of re-tendering the contract shall be recovered from the defaulter, besides other penal provisions as the department may decide;

29. Delivery of Goods

Goods shall be delivered (as per instructions in supply order) at Police Central Store, Gulshan Ground, Gandhi Nagar, Jammu and Police Central Store, Zewan, Srinagar as the case may be duly packed in perfect condition. The supplier if he so desires may insure the goods against loss or theft, destruction, damages by the natural calamity loss by exposure to weather or otherwise viz war rebellion, riot etc. The insurance charges will have to be borne by the supplier and the department shall not pay such charges;

- 30. If the successful tenderer fails to supply the goods of the prescribed specification or fails to deliver the goods within stipulated period as specifically mentioned in the supply order, the department shall be at liberty to arrange supplies by re-tendering or otherwise at the risk and cost of the tenderer. The department shall be lawfully entitled to forfeit the amount of the EMD/security money and take penal action to make good the loss sustained or excess cost incurred by the state in arranging of the supplies and other remedies that may be available with the department, under law.
- 31. Either the original manufacturer or his authorized dealer can participate for a particular item or sample(s) only. Tender offers where both original manufacturer and his authorized dealer participate for the same items shall be rejected.
- 32. If at any stage of the tender process two or more bidders are found in collusion between /among themselves with the intent to reduce competition, set price, share technical expertise ,share business

- information/decision ,control/share production and or distribution of products and raise prices ,all such tenders shall be out rightly rejected.
- 33. If at any stage of tender process any bidder/s is/are found influencing any Government Servant associated with or handling the tender process and supplies thereof, bid of such tenderer/s shall be rejected besides invoking any other provision available under rules.
- 34. All legal proceedings arising out of any dispute between the parties shall have to be settled in the Courts situated in Srinagar and Jammu and not elsewhere;
- 35. It shall be incumbent upon the supplier to provide entire supply, in conformity with the approved sample, strictly as per the specifications provided in the NIT/supply order. Supplies found deficient in quality /quantity viz-a-viz supply order shall be rejected. Penalty/damages would be imposed and recovered from the bidder as per terms and conditions indicated in the supply order.
- 36. The decision of the accepting authority shall be final as to the quality of stores and shall be binding on the supplier. In case the articles supplied are not according to the approved sample & specifications they shall be rejected and at our absolute discretion, rejected stores may be allowed to be made good by way of replacement. The loss caused due to rejection of the supplies shall be entirely borne by the supplier. The rejected articles shall be lifted by the supplier within one week from the date of rejection. The department shall in no case be responsible for any loss or damage that may occur to the rejected stores while these are in the premises of the purchaser.
- 37. The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies and hence above shall not be construed as all inclusive.
- 38. Bidders submitting their bids on-line shall only be accepted and manual bids shall be rejected and no document other than mentioned in the NIT shall be accepted manually.
- 39. PHQ may call any bidder at any stage of the tender process for seeking any clarification.
- 40. Queries /representations on tender enquiry should be received upto pre-bid conference or within 10 days from the date of publication of this tender enquiry (whichever is earlier) would be entertained .All queries/representations received after pre bid conference would not be entertained.
- 41. The bidder should furnish an undertaking APPENDIX-II of this NIT stating that he /she is not connected in any manner with any other bidder in this tender with respect to manufacturing ,distribution, supply, in sharing business information/documents price of the item etc. for the items quoted in this bid. If this is found to be incorrect, his/her tender would be rejected.
- 42. The interested bidders should indicate the AMC cost, year wise beyond the period of comprehensive warranty in absolute terms i,e total amount, all inclusive, break up of applicable taxes to be given. Moreover in case of imported equipment or major components thereof if imported, the bidder must furnish a copy of 'Certificate of Import' together with a certificate from Principal Manufacturer of

- such equipment, components that the product's performance as stated above is tested in accredited lab and guaranteed with full support for service, maintenance etc be provided for at-least 05 years.
- 43. If required, the short listed tenderers will have to arrange for the Ballistic/Technical or field/Practical demonstration of the Equipment/s at their own cost at the place and date to be fixed by the Authority. The shortlisted firms will be required to provide sample(s) for conducting practical demonstration or ballistic testing. The bids of such short listed bidders, who do not arrange / participate in the demonstration even after being asked by the purchaser or will not deposit required number of samples shall be liable for rejection.
- 44 Remittance charges (Bank Commission) on payment made to the firms will be borne by the suppliers. The charges of stamp etc. shall be paid by the supplier while executing the agreement;
- 45. The supplier shall not sublet the contract or any part thereof to any other agency without the concurrence of PHQ J&K.
- 46. The Department reserves the right to add or suitably modify the terms and conditions (without prior notification) as per exigencies that may arise for one or the other reason.
- 47. All pages of technical/pre qualification documents must be clearly page marked at the bottom (center) of each page before scanning the same and uploaded to e tendering portal.
- 48. No duplicate documents/ pages shall be uploaded by the bidders against e NIT.
- 49. Documents to be scanned, converted to pdf format and subsequently uploaded to the portal, must be scanned at 200 DPI (dots per inch) resolution/scale.
- 50. Tender fee and EMD documents must be scanned and placed in separate pdf files.
- 51. Bidders are advised not to upload any irrelevant/un-necessary document against e NIT.
- 52. The detailed NIT, SBD and BOQ is available on J&K State e-Procurement portal www.jktenders.gov.in. In case of any clarification, please contact Telephone Numbers 0194-2443031, 0191-2459029 (F), 0194-2443032, 0191-2459255 e-mail; phqjk@jkpolice.gov.in

(Sheikh Junaid Mahmood) AIG Provision/Tpt,

For Director General of Police,

J&K-Jammu.

APPENDIX-1 FORMAT OF MANUFACTURER'S AUTHORIZATION LETTER/CERTIFICATE

To,
The Director General of Police, J&K, Jammu/Srinagar.
Subject;
Sir, Please refer to your tender enquiry (NIT No. 48 72.19.17
1. We who are proven and reputable Manufacturers/dealers of (name and description of the goods offered in the tender) having factories at hereby authorize M/s (name and address of the agent) to submit a tender, process the same further and enter into a contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufactured by us.
2. We further confirm that no supplier or firm or individual other than M/s(name and address of the above agent/dealer) is authorized to submit a tender, process the same and enter into contract with you against your requirement as contained in the above referred tender enquiry documents for the above said goods manufacture by us.
3. We also hereby extend our full warranty, CMS/AMC support as per the conditions of contract, read with modifications, if any, in the special conditions of contract for the goods and services offered for supply by the above firm against this TE document.
Yours faithfully,
Signature with date, name and designation For and on behalf of M/s (Name and address of the Manufacturer)
Note;- 1. This letter should be on the letter head of the manufacturing firm and should be signed by the person who is competent having the power of attorney.

2. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER

APPENDIX-II

Reference e.NIT No. 48 of 2017 dated 27 .19.2017.

To,		
The Direct	or Ge	neral of Police
J&K, Jamn	nu/Sri	inagar.
Sir,		
1. I_ with any business	oth infor	hereby state that I am not connected in any manner bidder in this tender with respect to manufacturing distribution, supply, in sharing mation/documents and price of the items etc. quoted in this bid.
2. I my tende		er state that if this is found to be incorrect, the police department is at liberty to reject
		Yours faithfully,
		Signature with date, name and designation For and on behalf of M/s (Name and address of the Tenderer)
Note;-		(
	a.	This undertaking should be on the letter head of Tenderer and should be signed in person by the tenderer.

b. Scan copy of the original letter must be attached with tender documents.

SIGNATURE OF THE TENDERER.

APPENDIX-III

Performance statement for last two years

1 chomatice stateme	110 101 1110 0 0 0 0 0 0 0 0 0 0 0 0 0
Name of the firm	
Description of stores	
Quantity on order	
Value	
Original D.P	
Quantity supplied within original D.P	
Final Ext D.P	
Last supply position.	
Reasons for delay in supplies (if any)	

Signature of Tenderer

APPENDIX-IV

General instruction/CHECK LIST FOR TENDERERS;

Before submission of tender documents, the renderers should check whether they have complied with the following requirements of otherwise;-

S. No.	Requirement to be checked before submission of tender	Complied (Please
		indicate YES or
		NO after
		complying with
		the requirement.
		the requirement.
1.	The tenderers for their own ease shall fill in relevant details of NIT offline & upload	
	the same after ensuring accuracy	
2.	Whether tender fee scan copy is enclosed, with the technical bid?	
3,	Whether Earnest Money Deposit (EMD) scan copy is enclosed with the technical	
- `	bid?	
4.	If an SSI Unit, the same is indicated in the tender and scan copy of valid registration	
	certificate with installed capacity per month is enclosed or not?	
	, parting the second of motor	
5.	Whether monthly manufacturing and supplying capacity is mentioned in the tender	
	document or not?	
6.	Whether scanned copy of copy of complete tender documents are up-loaded in the	
	technical bid duly signed having official seal on all pages or not?	
7.	Whether tender documents are submitted in two bid system I.e. Technical and	
	Financial Bids separately as per tender enquiry or not?	
8.	If called for in to a large in the large in	
0.	If called for in tender enquiry, whether tender sample conforming to the	
	specifications has been deposited with Central Store Jammu/Srinagar (as provided in	
	tender enquiry)?	
9.	Whether offer validity as required in tender enquiry is accepted and indicated in your	
	tender document or not?	
	tender document of not:	
10.	Whether terms of delivery and period as required in tender enquiry is accepted and	
	indicated in your tender document or not?	
	, ,	
11.	Whether payment terms as required in the tender enquiry is accepted and indicated in	<u></u>
	your tender document or not?	
12.	Whether compliance statement in the format as required in tender enquiry is enclosed	
i	with the supporting technical documents/proof, Lab test etc for each point/parameter	
	or not?	
- 12		
13.	Whether compliance statement for last 2 years as required in tender enquiry in the	
	format is enclosed or not. If not, reason thereof is given?	
14.	Whether warranty period as required in the tender enquiry is accepted or not?	
14 1		

	or not, if required in the tender enquiry?
16.	(a) Status of renderer as to whether manufacturer or Manufacturer's authorized agent is indicated in your tender document. If authorized agent/dealer, valid authority letter for the stores offered from the manufacturer is enclosed or not.
	(b) If an Indian agent of foreign Principal, whether your firm enlisted with DGS&D under compulsory enlistment scheme or not. Copy of valid DFS&D enlistment certificate as Indian agent of Foreign Principal is enclosed or not. If not, reason thereof is given in your tender document or not?
17.	If called for in T.E whether free training about use of equipment after supply, is accepted or not.
18.	Whether indicated in the tender document, if your firm's business dealings is banned by any Govt/private agency or recommended for blacklisting or not?
19.	The complete commercial quote should be in Indian Rupees only. Currency of price should be clearly mentioned (wherever applicable).
20.	Entry Tax/0ctroi/Toll Tax and other Statutory Taxes will be applicable at actual, if admissible.
21.	Tenderer will attach justification of price quoted which should include the recently executed contracts of the store in question with Govt/Semi Govt Organizations etc.
22.	No column should be left blank. Wherever amount is not quoted, the column should be clearly marked as "Nil'.

Annexure "A" of NIT No. 48 of 2017 Dated 27.12.2017

Item - 1	Portable BR Lectern (02)			
1.	Should provide protection from three directions against the following			
	type of ammunition according to NIJ level III ballistic protectio			
	requirement :-			
	a) 7.62 x 51 Ball NATO M80			
	b) 7.82 x 39 Ball PS AK 47			
2.	Should be made of reinforced High Pressure Polyethylene to provide			
	maximum protection to person to person standing behind.			
3.	Inner joints should be reinforced with a bullet proof angle plate from			
	bottom to ensure enhanced protection.			
4.	The lectern should be assembled within a period of 10 minutes or so			
	and should not require any special training.			
5.	Operating weight of the BR lectern should not be more than 115 KGs			
6.	Physical dimensions sof BR Lectern in assembled condition :-			
	a) Height – 1300 mm			
b) Weight - 1020 mm				
c) Depth - 770 mm				
	d) Thickness of BR material - 23 mm			
7.	Should have the provision of shelf for placement of reading material			
	over it and also support for the foot. While providing these			
	arrangements the overall weight and protection level should not be			
	compromised.			
<u></u> 8.	Warranty – 02 Years			
Item-2	Pole Type walk Through Metal Detector (10)			
1.	Should be able to detect cell phones that are ON or OFF, dangerous			
	weapons, blades, radio receivers, transceivers and other contraband			
	items.			
2.	Should be compact and portable and provides non intrusive full body			
· · · <u>-</u> · · · ·	scans.			
3.	Should scan upto 40 individual per minute without contact and			
	intrusion.			
4.	Should be wall mounted and set up by one person.			
5.	Power supply : Powered by AC battery backup up-to 7 Hrs.			
6.	Should have two units :-			
	i) Sensor unit			
-7	ii) Base unit			
7.	Weight of sensor unit should not be more than 9 KG			
8.	Weight of base unit should not be more than 9 KG			
9.	Dimension of sensor unit should not be more than (heightxwidthxdepth) 74"x5'x3.3'.			
10.				
10.	Dimension of base unit should not be more than (heightxwidthxdepth)			
11.	14.2" x 13.4" x 13.4"			
· · · · · · · · · · · · - · · · · · 	Warranty – 02 Years			
Item-3	IR Optical Fibro Scope (13)			
1.	Should provide pistol grip one hand operation			
2.	Should have convenient on/off switch for IR			
3.	Probe should be semi flexible and its effective working length not less			
	than 3 Mtrs			
4.	Probe diameter should not be more than 6.4 mm with tungsten braid			

· 5.			sensor with resolution not less than
<u> </u>	3,50,000 ;pixe		
6.	Size of lens should not be less than 2.1 mm		
7.	It should have 8X Digital Zoom facility		
8.			nitor should not be less than 4.3"
9.	Should have operation	mechanical joys	stick to provide 360 degree bending
10.	Filed of View should be forward		
11.		should be 1 mtr t	
12.	Should be cap	able of recognizi	ng a human target up to a distance of 3
	meters or more in pitch darkness and day light		
13.	Light source should have Eye safe Infra Red, Invisible to naked eye		
14.	Should work on AC Power supply without inserting the battery		
15.	8 GB SD Card	should be provid	ed for storage facility
16.	Recording time	e should not be le	ss than 2 hrs
17.			be less than 640* 480 pixels (JPG)
18.			pe less than 640* 480 pixels (AVI) 15-30
10	fps		
19.	Should work on temperature range - 10 degree Celsius to + 50 degree Celsius		
20.	Operating time should not be less than 2 hrs with AA battery		
21.	Weight withou	t battery should	not be more than 590 G and with hard
		t should not be m	
22.	It should have	radio function	
23.	Should work or	n DC 5V (4AA)	
24.			light source for clear image
25.		should not be les	
26.			e designed as detachable.
27.	Warranty 02 ye	ears	
Item – 4	BP Brief Cas		
1.	Material	Main Unit	Ballistic protection briefcase should be
''	Material	Widin Orne	made of high abrasion resistance and
			high strength organic fibre or any
			standard equivalent fibre
		Outer cover	Ballistic protection briefcase outer
			cover should be made of superior
			leather with features like waterproof
			and should have very good quality
			workmanship
		Handle	Should be comfortable to hold a hand
			for a long time
2.	Dimension	In close	The width should be atleast 55 cms
		condition	and length should be atleast 10 cms
			(+-10 cms acceptable).
			The width should be atleast 55 cms
İ		in the open	
İ		In the open	
		n the open position	and length should be atleast 10 cms
		· •	and length should be atleast 10 cms (+- 10 cms acceptable). It should be
		· •	and length should be atleast 10 cms (+- 10 cms acceptable). It should be flipped to open with a quick release of
3.	Weight	position	and length should be atleast 10 cms (+- 10 cms acceptable). It should be flipped to open with a quick release of hold for ballistic use.
3.	Weight,	position Protection	and length should be atleast 10 cms (+- 10 cms acceptable). It should be flipped to open with a quick release of hold for ballistic use. The weight of ballistic protection
3.	depending on	position	and length should be atleast 10 cms (+- 10 cms acceptable). It should be flipped to open with a quick release of hold for ballistic use. The weight of ballistic protection briefcase should not be more than 4
3.		position Protection	and length should be atleast 10 cms (+- 10 cms acceptable). It should be flipped to open with a quick release of hold for ballistic use. The weight of ballistic protection

		level NIJ-III briefcase should not be more than 5 KGs (+- 500 grams acceptable)
4.	Colour	The color of the BP Briefcase should be black/blue
5.	Protection	Should provide level equivalent to NIJ level III A
	level	effective protection and defeat 9 mm India ball ammunition fired through carbine, MP-5 with velocity 450 m/s to 500 m/s from a distance of 5 meters to 10 meters on complete solution of brief case, test protocol from Internationally or nationally recognized blast testing laboratory alngwith tender is compulsory according to protection level NIJ level III-A or NIJ level III.
6.	Standard	* Appearance just like a normal briefcase for first class
0.	features	* Standard velcro closure and opener * Rectangular design * Easy unfolding by dropping the carry handle
7.	Deformation	The action or process of changing in shape or distorting, especially through the application of pressure, the maximum deformation in briefcase should not exceed 30 mm.
8.	Qualifying	One extra BP briefcase or one fold of BP Briefcase size
	criteria	50 cm x 35 cm is to be provided free of cot for testing
		by the bidder
9.	Testing	Selected bidder shall provide one BP Brief case or one fold of BP Briefcase size 50 cm x 35 cm for testing in a lot of 5+1 randomly selected briefcase by the board of officers for ballistic testing at accredited lab or as decided by the purchaser.
10.	Carrying	Briefcase should be packed individually in a water proof
	case	cloth or pelican carrying case
11.	Information	Following information is also required. i) Supplier shall have to give its client list ii) Supplier will have to provide the manufacture standards of BP Briefcase.
12.	Service	The manufacturer /supplier should provide spares
		support for a period of eight years. Should have a team
		of qualified engineers to undertake prompt and efficient
		service/maintenance.
13.	Warranty 02 ye	
Item - 5		Video Surveillance Ball (05)
1.	General	Four wheeled day and night surveillance robot should
		be a mini robot that enables easy manoeuvrability
		through a remote control and instantaneous video and
		audio reconnaissance within indoor and outdoor
	147 1 7 1	environments.
2.	Wireless link	The state of the s
	with control unit	The state of the s
		able to transmit audio and video surveillance data to
		control unit through a wireless NLOS Link at a range
		of 80 Mtr or better without any mesh topology in non
		line of sight environment and 250 Mtr or better without
<u> </u>		any mesh topology in line of sight environment with no

Г		1	
	,		jamming.
	3.	Weight	Weight of robot with standard wheels, without battery
i			and without any additional accessories should not be
			more than 5 KGs.
			Should be able to sustain flat drops on wheels which
			should not be more than 2.5 Mtr
	4.	Day and night	Resolution of HD front day camera should not be less
		camera for	than 720P (1280x720)
		surveillance	Resolution of standard cameras on three other sides
			should not be less than 320 x 420
			Front camera should offer tilt of +-/-40 degrees
			Camera should provide 360 degree filed of view (front
			camera and three side cameras simultaneously)
			Option for operator for selection of Infrared
	_		illumination for all four cameras
	5.	IR Illumination	360 degree IR illumination modules should be
İ			provided for darkness for all four cameras. Range of
			IR illumination should not be less than 7.5 meters.
	6.	Microphone for	
		Audio	microphone sensitivity of 75 db
	7.	Battery	Should have battery backup of 03 hrs on one battery.
1			One spare battery pack to be provided by the
			supplying firm.
	8.	Warranty	Replacement warranty for 02 years.
	Item – 6	Portable Spectrus	m Analyzer (01)
Γ	1.	Application	Cellular, PCS, 2G, 3G,4G, CDMA, GPRS, EDGE, W-
			CDMA, TDMA, Blue Tooth, WIMAX, Trunking, WLL
			and WLAN.
Г	2.	Frequency	100 MHZ to 3.6 GHz
		range	
	3.	Frequency	1HZ
		resolution	
	4.	Reference	+- PP m/year
		Aging	
	5.	Frequency	+- 1PPm
		uncertainty	
	6.	Temperature	+-1PPm/C-
		Drift	
Г	7.	Data points	705displayed
[8.	Spectral purity	- 85 Dbc@ 30KHz
	9.	Sweep time	22s, full span : 1 ms, zero span
\vdash	10.	Resolution	100Hz to 1MhzRBW
		bandwidth	TOOLITE TO HANTIELY DAY
-	11.	Video	10Hz to 300 Khz VBW
	1 1.	bandwidth	TOTIZ TO SOU MIZ ADAA
-	12.	Amplitude	+- 1 0db type + 15db may
	14.	Accuracy	+- 1.0db type, +- 15db max
H	13.	······································	66dh intermed free
\vdash	14.	Dynamic range Noise floor	66db, intermod- free
-	15.		-135dbm DANL
<u> </u>		Attenuator Pro Amplifica	0,10,20 or 30 db : Internal
	16.	Pre Amplifier	+24 Db gain, Internal
:	17.	Single Button	Occ BW, Channel power, Field
		ACPR	

	· · · · · · · · · · · · · · · · · · ·	
· 18.	Measurement	Strength, AT/FM
	Demod, C/1	
19.	Display	TFT x 600 Pixels or better, full color display for indoor
		or outdoor viewing.
20.	Battery	5 hr back up or better, field replacement
21.	CE Compliant	Yes
22.	Saved Trace	300 or better internal, 80,000 USB Drive or better
	Storage	
23.	Warranty	Comprehensive warranty (replacement inclusive of
		(batteries) for minimum 02 years.
Item - 7	TACTICAL, MU	LTI-PURPOSE LADDER (40)
1.	Rugged and	The ladder should be made of rugged (having a rough
	Durable	irregular surface) and durable material (capable of
		withstanding wear and tear or corrosion). The ladder
		joints should make minimum nosie during handling.
2.	Foldable	The ladder should be foldable/sliding and man packed
		by back harness provided with the equipment.
3.	Weight	The ladder even when extended to its maximum
	capacity	required height should be able to withstand the weight
•	' '	of two fully equipped troops climbing simultaneously
		(at least 200 kgs).
4.	Non reflective	The ladder should be with non reflective finish.
	finish	
5.	Grip	The rungs of the ladeer should be designed to ensure
	•	better grip. The rungs should be securely locked with
		the stile and not loosen with use. All section should be
		suitably serrated to provide better grip top hand and
		foot. The ladde4r should be equipped with adjustable
		shoes with buffer coating at the top and bottom ends
		to provide a firm grip, prevent slipping and making of
		noise.
6.	Mechanism of	Suitable mechanism for easy extension and locking
	extension	between all sections to be provided.
7.	Hook in device	The ladder to be provided with hook in device at the
		top end to provide support during operations.
8.	Maximum	14 Kgs.
	weight	Ŭ
9.	Distance/Gap	Distance/Gap between two successive steps of ladder
		should be maximum 1 feet and minimum ½ feet.
10.	Storage and	The ladder should be capable of operating between -
	operational	20 to 55 degree C. Storage -30 to 60 degree C
	conditions	
11.		warranty for minimum of 02 years.
	; compromonore	range for minimum of oz yours.

(Sheikh Junaid Mahmood)
AIG Provision/Tpt,
For Director General of Police,
J&K-Jammu.